

Type C - Doffing - ILC DOVER



OPERATIONS
TEAM CLEANS
THE OUTSIDE
OF THE SUIT
BEFORE
REMOVAL



MAINTAIN
AIRWAY
PROTECTION
BY REMOVING
PAPR HOOD
TOWARDS END
OF PROCESS



REMOVE PATIENT CARE GLOVES (IF WORN)



REMOVE TAPE
SECURING
OUTER
PROTECTIVE
GLOVES THEN
REMOVE OUTER
GLOVES



LOOSEN THE BELT WITHOUT REMOVING THE HOOD.



OPEN EXTERIOR ZIPPER SEAL





Type C - Doffing - ILC DOVER



REMOVE SUIT TOUCHING ONLY INTERNAL SURFACES

DOFFING
PARTNER
SHOULD
ONLY TOUCH
EXTERIOR



SLIDE THE SUIT DOWN SO THE PERSON CAN SIT.



REMOVE TAPE AT THE TOP OF THE OUTER BOOTS



REMOVE THE OUTER BOOTS



REMOVE THE LOWER PART OF THE SUIT



GATHER UP SUIT AND DISCARD





Type C - Doffing - ILC DOVER



GATHER UP HOOD AND SHROUD AND REMOVE OVER THE HEAD



REMOVE TAPE AT TOP OF INNER BOOT LINERS



REMOVE INNER BOOT LINERS



REMOVE
INNER GLOVES
USING GLOVEIN-GLOVE
TECHNIQUE



PERFORM HAND WASHING



DOFFING PARTNER TAKES AND RECORDS VITAL SIGNS





Type C - Doffing - ILC DOVER



HYDRATE WITH DECAFFEINATED BEVERAGE



PROCEED TO PERSONAL SHOWER AND DEBRIEFING

