


## PPE FOR EBOLA PATIENT CARE: GOWN - DONNING



EQUIPMENT: ① SURGICAL GOWN, ② SURGICAL CAP/HAIR COVER, ③ FACE SHIELD, ④ STANDARD PATIENT GLOVES, ⑤ DOFFING PAD (LARGE FLUID REPELLENT FABRIC OR PLASTIC DRAPE), ⑥ SURGICAL BOOT COVERS, ⑦ N95 RESPIRATOR, ⑧ LONG CUFF KC500 PURPLE NITRILE GLOVES, ⑨ TRASH RECEPTACLE, ⑩ DUCT TAPE, ⑪ APRON.



⑫ Perform hand hygiene. ⑬ Apply scrubs and plastic washable footwear (such as Crocs). ⑭ Remove all jewelry. ⑮ Take and record vital signs. ⑯ Hydrate.

## PPE FOR EBOLA PATIENT CARE: GOWN - DONNING



- 17 Apply boot covers, 18 surgical cap, and 19 surgical gown. NOTE: ALL TIES should be properly secured with a SIMPLE BOW. Ensure all fit well and cover the intended areas.  
20 Perform hand hygiene.



- 21 Apply N95 respirator. 22 Seal mask to the face ensuring straps are not crossed and properly located at the crown of the head and base of the neck. 23 Perform a fit check of the respirator, breathing deeply in and out, feeling with your hands for any air leakage.

## PPE FOR EBOLA PATIENT CARE: GOWN - DONNING



- 24 Apply face shield (over surgical cap and N95 straps). 25 Perform hand hygiene.  
26 Apply standard patient care gloves. Bring cuffs of gown over the patient care glove cuff.



- 27 Apply long cuff KC500 Purple Nitrile gloves over the standard patient care gloves. Make sure that the glove cuff covers the gown sleeve adequately to prevent exposure when providing patient care.  
28 If activities performed in the room are likely to dislodge the cuff, it is acceptable to tape the gown sleeve and glove cuff to one another.

**!** If the patient's condition warrants, additional personal protective equipment may be added to these guidelines. This may include items such as Tyvek suits, powered air purifying respirators, and aprons.

### IN ROOM ACTIVITIES

A third pair of standard patient care gloves should be worn when caring for the patient may contaminate the hands. Aprons will also be available in the room for high splash activities. Bleach wipes may be used to decontaminate the long cuff KC500 Purple Nitrile Gloves if necessary.


# PPE FOR EBOLA PATIENT CARE: GOWN - DONNING PERSONAL PROTECTIVE EQUIPMENT - UPDATE



**A** The headcovers were pulled over the ears during patient care for additional protection.



**B** The blue N95 masks were causing skin breakdown on noses. The white tri-fold N95 mask was found to be more comfortable for long term use.



**C** Headcovers which covered more of the neck and tie at the lower rear neck were identified. **D** The ties for the head and neck covers cross in front and then tie a bow in the back. It is worn under the gown. **E** The mask and face shield are worn over it. **F** Ensure the faceshield and headcover overlap to protect the forehead.